
## **Central Tube Steel Armour Indoor/Outdoor Cable**

4F G62.5 MMF InfiniCor® OM1 CT 3.0





Waterb	locking	techno	loav


UV- and microbe-resistant

Corrugated steel armouring

Small diameter and bend radius

Fibres colour coding to Telcordia-Bellcore





Waterblocking

## **Central Tube Steel Armour Indoor/Outdoor Cable**





General Specifications		
Temperature Range		
Temperature Kange		
Cable Design		

## **Central Tube Steel Armour Indoor/Outdoor Cable**

4F G62.5 MMF InfiniCor® OM1 CT 3.0

**Mechanical Characteristics Cable** 



Chemical characteristics	
Optical Characteristics (cabled)	

Notes: Improved attenuation and bandwidth options available
Bend-insensitive single-mode fibres available on request
Contact a Corning Customer Care Representative for additional information

## **Central Tube Steel Armour Indoor/Outdoor Cable**

4F G62.5 MMF InfiniCor® OM1 CT 3.0

CORNING
---------



Corning Optical Communications GmbH & Co. KG  $\cdot$  Leipziger Strasse 121  $\cdot$  10117 Berlin, GERMANY 00 800 2676 4641  $\cdot$  FAX: +49 30 5303 2335  $\cdot$  www.corning.com/opcomm/emea

