






# DATASHEET



## General data

This is a 10 Gigabit Ethernet cable with a slim design. It is suitable for use in data centers and other high-speed networking environments.

Length imprint on boot  
 11 colours

## Allgemeine Daten

Cable length 100m	
Cable type 10 Gigabit Ethernet	
Cable color 11 colours	
Cable jacket PVC	

## General data

Cable length 100m	Cable type 10 Gigabit Ethernet
Cable color 11 colours	

This datasheet was created automatically on 29-04-2024 . Technical changes reserved.



# DATASHEET



...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...
...	...

## Mechanical characteristics

...	...
...	...
...	...

### Cable construction

...	...
...	...

### Kabelaufbau

...	...
...	...
...	...
...	...

### Cable sheath

...	...
...	...
...	...
...	...


### Kabelmantel

...	...
-----	-----

This datasheet was created automatically on 29-04-2024 . Technical changes reserved.



# DATASHEET



00 00000 0 00 0 0000 000 0 0	0 0 00
---------------------------------	-----------

## Environmental conditions

0 0 00000 000	- °
---------------	-----

## Electrical characteristics

00000000 0000000	
000 0 0000000	00
0 0 0000	±
000000 0000000	0
0000	
0000000000 0000000	00
00000	0 000 0 00
0000000 00000000	
000 00 0000	0 00

## Elektrische Eigenschaften

0000000	0 00
0 00000 0 0 0 000 00000	0 00

## Übertragungstechnische Eigenschaften

00000 000000	000
00000 0000	0

## Standards, approvals, certifications

00000 000000000	
000 00000000 000	000
000 0000	

## Available variants


ArtNr.	Bezeichnung	Length	Längentoleranz
	00000 000 00 0 0000 0	0	±
	00000 000 00 0 0000 0	0	±
	00000 000 00 0 0000 0	0	±
	00000 000 00 0 0000 0	0	±

This datasheet was created automatically on 29-04-2024 . Technical changes reserved.




00000000 0 0 00  
 000 0 00000 00  
 00 0

# DATASHEET



	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±
	□□□□ □□ □□	□□□□ □	□	±

## Drawings



This datasheet was created automatically on 29-04-2024 . Technical changes reserved.

