

Certificate

No. **c9662a-25**

Customer:

Corning Optical Communications GmbH & Co. KG
Profilstraße 4
58093 Hagen, Germany

Test sample(s):

data cable:

Corning Everon™ F/FTP 550/23, LSOH-3, CPR D

Part no.: CCXEDA-D00z7-C00y-xx

Balanced cord:

Corning Everon™ Patchcord S/FTP flex/26L, Cat.6A, 2xRJ45, 4P

Part no.: CCAAGB-Gx002-Ayyy-C0

CP-cable:

Corning Everon™ V500S CP-Patchcord S/FTP flex/26L, Cat.6A, RJ45-V500S

Part no.: MCAAGB-Fx047-Ayyy-zz

connecting hardware:

Corning Everon™ VOLOCK6ASNx, V500S, RJ45 STP jack, Vol, Cat.6A

Part no.: XF500003553; XF500003546

Class Ea

z = 4=4P / 8=2x4P

y = color

xx = packaging

x = color

yyy = length

x = color

yyy = length

z = variant

Applied standard(s):

ISO/IEC 11801-1 Ed.1.0 (2017-11)

DIN EN 50173-1 (2018-10)

Result(s):

The sample meets the limits of the specified standards and regulations with respect to the parameters indicated above.

4 Connector Channel, Copper, Class Ea

GHMT Type Approval

The test results which were determined in the course of the measurement refer to the submitted specimen. Any future technical modifications of the verified products are subject to the responsibility of the manufacturer.

This Certificate refers to the comprehensive test report no. **R9662a-25** and shall only be applicable in conjunction with the test report. This certificate is valid 24 months after date of testing.

Bexbach, 20.08.2025



Dirk Wilhelm, engineer
(Chairman of the Managing Board)



GHMT AG

In der Kolling 320
66450 Bexbach / Germany

PO box 11 16
66442 Bexbach / Germany

T: +49 6826 92 28-0
F: +49 6826 92 28-290

info@ghmt.de
www.ghmt.de