

Protecting your fibre, for secure communication

- Gigaduct is a flexible duct system for fibre optic cables specifically produced and designed for both the European and US Market.
- The system is fully enclosed protecting the fibre from dirt and dust, the duct is strong enough to protect cables against the most rigorous of conditions.
- It is manufactured from a Halogen free, flame-retardant UL94/V0 plastic. The product is designed to meet material specifications required throughout Europe.
- The system is easy to assemble. The only tools required are a drill, a screwdriver and a saw to cut the channels to length. The system is designed for speed of installation and minimum labour for the installer.
- The easy access covers allows fibre optic cables to be installed or removed at any time without the need to disconnect the whole system.
- The system is extremely adaptable and will evolve to suit this demanding market. Currently it is supplied in three sizes: 50mm x 50mm, 100mm x 100mm and 200mm x 100mm.
- GigaCom offer a complete design package to assist you with the layout of your ducting system.





For further information please contact:

GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

GigaCom



The company is committed to delighting the customer and excelling in each of three key area's.

Service

A demanding market requires fast solutions, to meet this challenge we believe that:

- All standard product should be available within 24 hours from order.
- If special solutions are required they will be available in 14 days.

Product

Technically advanced communications equipment needs superb ancillary support therefore:

- We will design product that surpasses the latest standards at the lowest possible cost.
- Continuous improvement will be at the forefront of our design strategy to continually innovate in our market.

People

To support the ideals of the company and the future needs of the customer we will invest in:

- Relationships with our customers so we anticipate their requirements and have a solution available before it is requested.
- Our people, will be competent to meet and surpass the requirements of the customer.









GigaCom Ltd Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

For further information please contact:

System Overview







GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Table of Contents

Section

1. Duct

Spac

- 2. Horizontal Elbows
- 3. Vertical Elbows
- 4. Tee's & Tee Reducers
- 5. 4 Way Cross
- 6. Reducers
- 7. End Fittings
- 8. Splices
- 9. Excess Fibre Storage Unit
- 10. Fibre Raceway Outlet
- 11. Converters
- 12. Brackets and Fixings
- 13. Labels





GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Duct 1.2m


Space





Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: Haircell Dimensions in mm.

Duct 1.8m






GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Space

Slotted Duct 1.8m

| Part Number | | Pitch | А | В | С |
|-----------------|-----------|-------|-----|-----|------|
| F-SDC18-55-YP | 50 x 50 | 100 | 50 | 50 | 1800 |
| F-SD50C18-55-YP | 50 x 50 | 50 | 50 | 50 | 1800 |
| F-SDC18-1010-YP | 100 x 100 | 100 | 100 | 100 | 1800 |
| F-SD50C-1010YP | 100 x 100 | 50 | 100 | 100 | 1800 |



Cut out size: 50 x 50mm - 25mm (h) x 32mm(w) 100 x 100mm - 70mm (h) x 32mm(w)

The number of cut outs is proportional to duct size and pitch.

Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: Smooth Dimensions in mm.




GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

45° Horizontal Elbow

| Part Number | A | В |
|-------------------------|-----|-----|
| F-45HB-55YP 50 x 50 | 60 | 65 |
| F-45HB-1010YP 100 x 100 | 110 | 110 |
| F-45HB-2010YP 200 x 100 | 210 | 110 |



space

90° Horizontal Elbow

| Part Number | | A | В | С |
|---------------|-----------|-----|-----|-----|
| F-90HB-55YP | 50 x 50 | 130 | 130 | 65 |
| F-90HB-1010YP | 100 x 100 | 195 | 195 | 110 |
| F-90HB-2010YP | 200 x 100 | 340 | 340 | 110 |

Notes: relating all products Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: all outside surfaces have a haircell texture. All parts have predrilled fastening holes. Dimensions in mm.




GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Spac


45° Vertical Inside (up) Elbow

| Part Number | A | В |
|--------------------------|-----|-----|
| F-45VIB-55YP 50 x 50 | 60 | 60 |
| F-45VIB-1010YP 100 x 100 | 110 | 110 |
| F-45VIB-2010YP 200 x 100 | 110 | 210 |



45° Vertical Outside (down) Elbow

| Part Number | A | В |
|--------------------------|-----|-----|
| F-45VOB-55YP 50 x 50 | 60 | 60 |
| F-45VOB-1010YP 100 x 100 | 110 | 110 |
| F-45VOB-2010YP 200 x 100 | 110 | 210 |



Notes: relating all products Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: all outside surfaces have a haircell texture. All parts have predrilled fastening holes. Dimensions in mm.




GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG


90° Vertical Inside (up) Elbow

| Part Number | А | В |
|--------------------------|-----|-----|
| F-90VIB-55YP 50 x 50 | 125 | 60 |
| F-90VIB-1010YP 100 x 100 | 190 | 110 |
| F-90VIB-2010YP 200 x 100 | 190 | 210 |



S D a

90° Vertical Outside (down) Elbow






GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Horizontal Tee


| Part Number | A | В | С |
|-----------------------|-----|-----|-----|
| F-HT-55YP 50 x 50 | 130 | 210 | 60 |
| F-HT-1010YP 100 x 100 | 200 | 280 | 110 |
| F-HT-2010YP 200 x 100 | 340 | 470 | 110 |



Vertical Tee

espace

| Part Number | А | В | С |
|-----------------------|-----|-----|-----|
| F-VT-55YP 50 x 50 | 60 | 195 | 60 |
| F-VT-1010YP 100 x 100 | 110 | 280 | 110 |



Notes: relating all products Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: all outside surfaces have a haircell texture. All parts have predrilled fastening holes. Dimensions in mm.




GigaCom Ltd


Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

S D a

100 to 50mm Horizontal Tee Reducer



200 to 100mm Horizontal Tee Reducer




GigaCom


Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Space

Vertical Tee Reducer 100 to 50mm



Vertical Tee Reducer 200 to 100mm






GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

4 Way Cross

Space

| Part Number | A | В | С |
|------------------------|-----|-----|-----|
| F-4WC-5555YP 50 x 50 | 195 | 195 | 65 |
| F-4WC-1111YP 100 x 100 | 275 | 275 | 110 |
| F-4WC-2121YP 200 x 100 | 470 | 470 | 110 |



Notes: relating all products Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: all outside surfaces have a haircell texture. All parts have predrilled fastening holes. Dimensions in mm.




GigaCom Ltd


Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

space

Reducer 100 to 50mm



Reducer 200 to 100mm





GigaCom Ltd


Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

End Cap


Space

| Part Number | А | В | С |
|-----------------------|-----|-----|----|
| F-EC-55YP 50 x 50 | 60 | 60 | 30 |
| F-EC-1010YP 100 x 100 | 110 | 110 | 30 |
| F-EC-2010YP 200 x 100 | 110 | 210 | 30 |



Trumpet

| Part Number | А | В | С |
|-----------------------|----|-----|-----|
| F-TR-55YP 50 x 50 | 90 | 100 | 100 |
| F-TR-1010YP 100 x 100 | 90 | 150 | 195 |
| F-TR-2010YP 200 x 100 | 90 | 150 | 295 |
| | ~ | | |





GigaCom Ltd


Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

4 Sided Trumpet

Space

| Part Number | А | В | С |
|------------------------|----|-----|-----|
| F-TR4-55YP 50 x 50 | 90 | 135 | 135 |
| F-TR4-1010YP 100 x 100 | 90 | 195 | 195 |
| F-TR4-2010YP 200 x 100 | 90 | 195 | 295 |



Notes: relating all products Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: all outside surfaces have a haircell texture. All parts have predrilled fastening holes. Dimensions in mm.




GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

Ducting Splice


| Part Number | А | В | С |
|-----------------------|----|-----|-----|
| F-DS-55YP 50 x 50 | 35 | 60 | 70 |
| F-DS-1010YP 100 x 100 | 75 | 110 | 100 |
| F-DS-2010YP 200 x 100 | 75 | 210 | 100 |



space

Fitting Splice

| Part Number | А | В | С |
|-----------------------|----|-----|----|
| F-FS-55YP 50 x 50 | 50 | 50 | 50 |
| F-FS-1010YP 100 x 100 | 90 | 100 | 70 |
| F-FS-2010YP 200 x 100 | 90 | 200 | 70 |






GigaCom Ltd


Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

espace

Excess Fibre Storage Duct

| Part Number | А | В | С | D |
|-------------------------|-----|-----|------|----|
| F-EFSD-2010YP 200 x 100 | 100 | 200 | 1200 | 80 |





Notes: relating all products Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: all outside surfaces have a haircell texture. All parts have predrilled fastening holes. Dimensions in mm.



GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

Fibre Raceway Outlet

GigaCom introduces a non-intrusive fibre optic ducting outlet. The first in a series of revolutionary components, the Fibre Raceway Outlet (FRO) is simply and easily placed over the sidewall of any new or existing channel to create a vertical drop-off from a horizontal run. With full radius control, the fibre outlet safely

routes fibres to and from equipment bays or distribution frames.

Unlike most other products, the low-profile, fibre outlet is truly installed with no tools, not even a screwdriver! With only a 50mm profile above the channel's edge, it can be placed anywhere along the sidewall of straight channels.

The differences don't stop there. The outlet and it's accessories was created using flame-retardant engineered plastics that not only meets the Bellcore NEBS specification, but also meets the zero-halogen requirements of the European community. All of which makes it a true worldwide solution.

The outlet has a unique two-piece cover with a hinged rear portion that allows users to access express fibres that bypass the outlet, without having to remove the main cover. So express fibres can be added, moved or changed without ever disturbing the fibres inside the outlet.

Ordering Information

| G-FRO-001 | Fibre Raceway Outlet. Includes outlet with tool-free cam lock, main cover and hinging express fibre cover. |
|------------|--|
| G-FRO-TMP | Trumpet for outlet opening |
| G-FRO-2AD | 50mm x 50mm adapter with cover |
| G-FRO-2FT | 50mm x 50mm adapter to 50mm |
| | flex tube. |
| G-FRO-78FT | 50mm x 50mm adapter to two, |
| | 32mm flex tubes. |
| G-FRO-4AD | 100 x 100mm adapter with cover. |
| G-FRO-4FT | 100 x 100mm adapter to two 50mm |
| | flex tube. |
| | |

Tube/Split Tube also available.



GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

Key Features

- No cutting required
- No tools needed
- Total radius control
- Meets UL94V-0
- Zero-halogen material
- Low profile
- Mates with 100mm, 150mm, 200mm & 300mm (4", 6", 8" & 12") channels
- Snap-on covers
- Express fibre hinged cover
- Trumpet flare option
- 50mm x 50mm (2" x 2") and 100mm x 100mm (4" x 4") vertical adapters
- Flex-tube adapter options

Product Specifications


Fibre Capacity 200 3mm fibres Flammability Rating UL94V-0 Oxygen Index (LOI) 36%



Converters

Space

| Part Number | From Gigaduct to: | | |
|---------------|---|--|--|
| F-ADAC-1010YP | Gigaduct 100mm to ADC 6" Converter | | |
| | Duct to Duct with ADC Connector | | |
| F-ADTE-1010YP | Gigaduct 100mm to Telect 100mm Converter | | |
| | Duct to Duct with Telect Connector | | |
| F-ADWB-1010YP | Gigaduct 100mm to Warren and Brown/Ray Duct 100mm | | |



Each converter is engineered to accept changes in profile from one product to another.

Notes: relating all products Material: UL94/V0, Zero Halogen. Colour: Standard yellow. Other colours on request. All dimensions are for reference only. Finish: all outside surfaces have a haircell texture. All parts have predrilled fastening holes. Dimensions in mm.




GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG


Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

Universal Bracket Kits

| Part Number | Description | Min | Max |
|-------------|--------------------|-----|-----|
| F-UBKS-5511 | Bracket Kit Short | 134 | 224 |
| F-UBKM-5511 | Bracket Kit Medium | 130 | 370 |
| F-UBKL-5511 | Bracket Kit Long | 370 | 600 |



SDac



Ladder Rack Bracket Kits


Part Number

Description

Max

F-LRKS-5511

Min



Material: Mild Steel, 4mm thick x 25mm wide Zinc Plated and Passivated. All dimensions are for reference only. Dimensions in mm.




GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG


SDac

Under Floor Mounting Kit

| Part Number | А | В | С | D | E |
|-------------|----|-----|--------|----|----|
| F-UFMK-5511 | 70 | 130 | 25 MAX | M6 | 75 |



Direct Ladder Rack Mounting Bracket



Material: Mild Steel, Zinc Plated and Passivated. All dimensions are for reference only. Dimensions in mm.



GigaCom Ltd


Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

Fixings


Space

| Part Number | Description |
|-------------|--------------------------------------|
| F-CBNK-20 | M6 x 20mm Coach Bolt, Flange Nut Kit |
| F-CB-20 | M6 x 20mm Coach Bolt |
| F-N-Metal | M6 Flange Nut |
| F-FCM10-Y | Bolt and Nut Cap |



Material: Steel, Zinc Plated and Passivated. Cap: Yellow PVC Pack Size: 100 pieces All dimensions are for reference only. Dimensions in mm.

Rivets





GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

D B C

S

| Part Number | А | В |
|-------------|-----|----|
| F-LAOF-120 | 120 | 40 |





GigaCom Ltd

Unit 2, Warkworth Farm, Warkworth, Banbury Oxfordshire, England OX17 2AG

Tel: +44(0)1295 713 897 • Fax: +44(0)1295 711 886 email: gigacomuk@aol.com • www.gigaduct.com

Material: Adhesive Vinyl

Finish: Smooth Dimensions in mm. Sold in sheets of 8.

All dimensions are for reference only.