

Everon® Copper Datacom Keystone Patch Panels

19" 1 U, flat, 24 ports, silver

CORNING

Part Number:
KAXCSV-02400-C001

The Everon® Copper Datacom patch panel is universally applicable for all 19" racks. This allows the free userspecific configuration of building and floor distributors. The panel has a conductive front and integrated earthing or grounding points as well as two grounding lashes at the rear of the panel.

Features and Benefits

Universally applicable for all 19" rack

Flush mount in the rack

Quick mount feature for easy one-person installation

Conductive front panel

Integrated cable strain relief

A plate with cable tie fixing system dedicated to each cable

Two standardised grounding lashes for flat plugs

Integrated earthing points on the back side

Port numbering above and below ports

Footprint printed on the right of the panel

An Accessory kit with 24 cables ties, 4 cages nuts, 4 M6 Screws, washers for the front of the panel, a grounding kit installed on the panel



Everon® Copper Datacom Keystone Patch panel 19, 1U, flat, 24 ports, silver



Everon® Copper Datacom Keystone Patch panel 19, 1U, flat, 24 ports, silver

Everon® Copper Datacom Keystone Patch Panels

19" 1 U, flat, 24 ports, silver

CORNING

Specifications

General Specifications

Product category	Core product
Environment	Indoor
Halogen-free	Yes

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

Environmental Conditions

Environmental compatibility	Recyclable
-----------------------------	------------

Design

Housing material	Aluminum
Housing colour	Silver
Number of ports	24
Footprint	Keystone

Dimensions

Height	43.6 mm
Depth	99.5 mm

Ordering Information

Product Number	KAXCSV-02400-C001
Height Unit	1 U
Units per delivery	1/1

Everon® Copper Datacom Keystone Patch Panels 19" 1 U, flat, 24 ports, silver

The Corning logo consists of a solid blue square. Inside the square, the word "CORNING" is written in a white, serif, all-caps font, centered horizontally and vertically.

Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
00 800 2676 4641 • FAX: • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2026 Corning Optical Communications. All rights reserved.