

Everon® Copper Datacom Terminal Outlet VOL and Keystone Surface mounting box, for 80x80 mm face plates, white

CORNING

Part Number:
CAXCSE-00001-C040

Features and Benefits

Both footprints VOL and Keystone are supported

Easy mounting of modules

Easy assembling and removing adapter to the frame

Area dedicated to label port identifier


No special tools required for installation

Standard white color for all terminal solution

Angled adaptor reduce the tensile on the patchcord and the cable



Everon® Copper Datacom Terminal Outlet VOL and Keystone, Surface mounting box, for 80x80 mm face plates, white



Everon® Copper Datacom Terminal Outlet VOL and Keystone, Surface mounting box, for 80x80 mm face plates, white

Everon® Copper Datacom Terminal Outlet VOL and Keystone Surface mounting box, for 80x80 mm face plates, white

CORNING

Specifications

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

Environmental Conditions

Environmental compatibility	Recyclable and free of heavy metal
Halogen-free	Yes
Temperature range, installation	-20 °C to 70 °C

Design

Number of Pieces	1
Colour	White, RAL 9010

Mechanical Specifications

Reproducibility	Several times reusable
-----------------	------------------------

Dimensions

Height	80 mm
Width	80 mm

Ordering Information

Product Number	CAXCSE-00001-C040
Shipping weight	260 g
Units per delivery	1/1

Everon® Copper Datacom Terminal Outlet VOL and Keystone Surface mounting box, for 80x80 mm face plates, white

The Corning logo consists of a solid blue square. Inside the square, the word "CORNING" is written in a white, serif, all-caps font, centered horizontally and vertically.

Corning Optical Communications GmbH & Co. KG • Leipziger Strasse 121 • 10117 Berlin, Germany
00 800 2676 4641 • FAX: • www.corning.com/opcomm/emea

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2026 Corning Optical Communications. All rights reserved.