

Everon® Copper Datacom Top hat rail adapter grey

CORNING

Part Number:
WAXISE-V0103-C001

The Everon® Copper Datacom Industrial top hat rail adapter is suitable for installation on 35 mm top hat rails.

It provides a potential equalization spring and, due to its modular design, allows a free configuration of each single port with Everon® Copper Datacom copper modules as well as LANscape® fiber optic modules.

Features and Benefits

Compact design with small dimensions

Electrical spring contact to top hat rail (bonding, grounding)

Tool-less and fast installation on top hat rails

Tool-less installation of module

Top hat rail adapter light grey, RAL 7035

Flame retardant, fire Class UL94 V-0

Temperature range: -20°C to +70°C



Everon® Copper Datacom Top hat rail adapter, LANscape®, grey

Everon® Copper Datacom Top hat rail adapter grey

CORNING

Specifications

General Specifications

Product Category	Core Product
Halogen-free	Yes

Standards

Flame Retardance	Flame retardant, fire Class UL94 V-0
RoHS	Free of hazardous substances according to RoHS 2011/65/EU
Design and Test Criteria	IP20

Environmental Conditions

Halogen-free	Yes
Temperature Range, Installation	-20 °C to 70 °C (-4 °F to 158 °F)

Design

Color	Gray
Number of Ports	1

Dimensions

Weight	16 g
--------	------

Ordering Information

Product Number	WAXISE-V0103-C001
EAN Code	4042673181972
Units per Delivery	1/1

Everon® Copper Datacom Top hat rail adapter grey

The Corning logo consists of a solid blue square. Inside the square, the word "CORNING" is written in a white, serif, all-caps font, centered horizontally and vertically.

Corning Optical Communications LLC • 4200 Corning Place • Charlotte, NC • 28216 • United States
800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/emea/trademarks. Corning Optical Communications is ISO 9001 and ISO 14001 certified. © 2025 Corning Optical Communications. All rights reserved.