




Accessories




19" Cantilever Shelf



Material 1.5 mm Steel Maximum Static Load 15-25 kg
 Finish Electrostatic Powder Paint Packaging Bubble Nylon

H (U)	D (mm)	w (mm)	Inner W (mm)	Weight (kg)	Part No
2U	250	483	437	1,58	CC
2U	400	483	437	2,43	CC

A-X-1002
A-X-1003



19" Heavy Duty Fixed Shelf

Maximum Static Load 100 kg
 Packaging One piece in a box

Material 1.5 mm Steel
 Finish Electrostatic Powder Paint

Inner W (mm)	Weight (kg)	Part No
435	2,95	CCA-X-1008
483	435	CCA-X-1009
483	435	CCA-X-1010
483	435	CCA-X-1011

H (U)	D (mm)	w (mm)
1U	400	483
1U	600	
1U	800	
1U	1000	




7035 (Grey); 9: RAL 9005 (Black)


* X : Color code = 7: RAL

19" Sliding Shelf




Material 1.5 mm Steel Maximum Static Load 35 kg
 Finish Electrostatic Powder Paint Packaging One piece in a box

H (U)	D (mm)	W (mm)	Inner W (mm)	Weight (kg)	Part No.
1U	400	483	435	2,37	CCA-X-1012
1U	600	483	435	3,56	CCA-X-1013
1U	800	483	435	4,74	CCA-X-1014
1U	1000	483	435	5,93	CCA-X-1015




19" Fixed Shelf



Material 1.0 mm Steel Maximum Static Load 50 kg
 Finish Electrostatic Powder Paint Packaging One piece in a box

H (U)	D (mm)	W (mm)	Weight (kg)	Part No.
1U	315	465	1,77	CCA-X-1004
1U	525	465	1,93	CCA-X-1005
1U	700	465	2,44	CCA-X-1006



* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

19" Drawer

Material 1.5 mm Steel



Maximum Static Load 35 kg

Finish Electrostatic Powder Paint

Packaging One piece in a box

A-X-1016
A-X-1017

U	D (mm)	W (mm)	Inner W (mm)	Weight (kg)	Part No.
2U	500	483	435	6,36	CCA
3U	500	483	435	9,54	CCA



Features

Operating Voltage AC 220 / 240 Volts 50/60 Hz

Complies to IEC 297-1

Air Flow 85 / 97 CFM

dB (A)

Material 1.5 mm Steel

000 mm

Finish Electrostatic Powder Paint

Packaging One piece in a box


Fan Module for Wall Mount Enclosure

Standards Comf



Noise 42,2 / 44,5

Fan Speed 2600 x 2

Pack



Part No.	Quantity	Weight (kg)	Dimensions (mm)	Model
CWA-X-2001	1	1,27	326 x 135	
CWA-X-2002	2	1,80	326 x 135	



* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

Fan Module for inorax-AL Series

Operating Voltage AC 220 / 240 Volts 50/60 Hz

Standards Conforms to IEC 297-1 Air Flow 25 / 27 CFM

Noise 42,2 / 44,5 dB (A)

Material 1,5 mm Steel

Fan Speed 2600 / 2900 rpm



Finish Electrostatic Powder Paint

Number of Fans	Weight (kg)	Part No **
2	3,76	CPA-X-2001
4	4,81	CPA-X-2002
6	6,74	CPA-X-2003

600-800 mm depth cabinets
etc.
and bigger depth cabinets.

Height (mm)	Depth (mm)	Width (mm)	Number of Fans
47	375	363	2
47	375	363	4
47	510	363	6

- 2-4 Fan trays can only be used in 600-800 mm depth cabinets
- 6 Fan tray can only be used in 1000 mm depth cabinets



Fan Module for inorax-ST series

Operating Voltage AC 220 / 240 Volts

Standards Conforms to IEC 297-1 Air Flow 85 / 97 CFM

Noise 42,2 / 44,5 dB (A)

Material 1,5 mm Steel

Fan Speed 2600 rpm

Finish Electrostatic Powder Paint

One piece in a box

Height (mm)	Number of Fans	Weight (kg)	Part No
363	2	2,90	CSA-X-2001
363	4	3,95	CSA-X-2002

Standards Conforms to IEC 297-1


Air Flow 85 / 97 CFM

Noise 42,2 / 44,5 dB (A)

Fan Speed 2600 / 2900 rpm

Packaging One piece in a box

H (mm)	D (mm)	W (mm)
47	375	363
47	375	363



* X - Color code = 7-RAL 7035 (Grey); 9-RAL 9005 (Black)

19" 1U Fan Module

Operating Voltage AC 220 / 240 Volts 50/60 Hz

Standards Conforms to IEC 297-1 Air Flow 85 / 97 CFM

Noise 42,2 / 44,5 dB (A) Material 1,5 mm Steel



Fan Speed 2600 / 2900 rpm Finish Electrostatic Powder Paint

Packaging One piece in a box



H (mm)	D (mm)	W (mm)	Number	Weight	Part No
1U	258	483	3	4,19	CCA-X-2001

1 & 2U Plastic Blanking Panel Type 1



Material Plastic ABS Packaging One piece in a box

H (mm)	D (mm)	W (mm)	Weight kg	Part No
1U	22	483	0,11	CCA-X-4015
2U	22	483	0,214	CCA-X-4016

1 & 2U Plastic Blanking Panel Type 2



Material Plastic ABS Packaging One piece in a box

H (mm)	D (mm)	W (mm)	Weight kg	Part No
1U	8,5	485	0,08	CCA-X-4001

1 & 2U Plastic Blanking Panel Type 3

Electrostatic Powder Paint

Weight kg	Part No
0,236	CCA-X-4003
	CCA-X-4003
	CCA-X-4004
	CCA-X-4004




Material 1,2 mm Steel Finish Electrostatic Powder Paint
Packaging One piece in a box

	H (U)	D (mm)	W (mm)
1U	9	483	483
2U	9	483	0,46
4U	9	483	0,86

RAL 9005 (Black)

* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

19" 1U Fan Module



Operating Voltage AC 220 / 240 Volts 50/60 Hz

Standards Conforms to IEC 297-1 **Air Flow** 85 / 97 CFM

Noise 42,2 / 44,5 dB (A)

Material 1,5 mm Steel


Fan Speed 2600 / 2900 rpm

Finish Electrostatic Powder Paint

Packaging One piece in a box

H (mm)	D (mm)	W (mm)	Number of Fans	Weight kg	Part No
1U	258	483	3	4,19	CCA-X-2001

19" 1 & 2U Plastic Blanking Panel Type 1



Material Plastic ABS

Packaging One piece in a box

U Height	H (mm)	D (mm)	W (mm)	Weight kg	Part No
1U	22	483	0,11	CCA-X-4015	
2U	22	483	0,214	CCA-Y-4016	

19" 1U Plastic Blanking Panel Type 2



Material Plastic ABS

Packaging One piece in a box

H (mm)	D (mm)	W (mm)	Weight kg	Part No
1U	8,5	485	0,08	CCA-X-4001

19" Steel Blanking Panels

...tic Powder Paint



Material 1,2 mm Steel

Finish Electrostatic Powder Paint


Packaging One piece in a box

U Height	H (mm)	D (mm)	W (mm)	Weight kg	Part No
1U	9	483	0,086	CCA-X-4002	
2U	9	483	0,172	CCA-X-4003	
4U	9	483	0,344	CCA-X-4004	



19" Ventilated Blanking Panels

Paint
 Part No
 CCA-X-4005
 CCA-X-4006



Material 1,2 mm Steel Finish Electrostatic Powder
 Packaging One piece in a box

H (U)	D (mm)	W (mm)	Weight kg	Part No
1U	9	483	0,24	CCA-X-4005
2U	9	483	0,42	CCA-X-4006

19" 1U Horizontal Cable Organizer with Plastic Hooks

Paint
 Part No
 CCA-X-5001




Material 1,5 mm Steel Finish Electrostatic Powder
 Packaging One piece in a box

H (mm)	D (mm)	W (mm)	Weight kg
1U	80	483	0,49

19" 1 & 2 U Horizontal Cable Organizer with Metal Hooks

Paint



Material 1,5 mm Steel Finish Electrostatic Powder
 Packaging One piece in a box

H (U)	D (mm)	W (mm)	Weight kg	Part No
1U	80	483	0,50	CCA-X-5044
2U	80	483	0,65	CCA-X-5055




nizer

19" Hinged Covered Cable Organizer

Material Plastic ABS Packaging One piece in a box

H (U)	D (mm)	W (mm)	Weight kg	Part No
1U	80	485	0,25	CCA-X-5050
2U	110	485	0,63	CCA-X-5051



Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

* X : Color

19" Cable Entry



Material: 1.5 mm Steel
Finish: Electrostatic Powder Paint
Packaging: One piece in a box...



Plinth for inorax

Power Paint

Material 2 mm Steel Finish Electrostatic Powder Paint
Packaging One piece in a box

Part No

H (mm) D (mm) W (mm) Weight kg



90	600	600	5,95	CCA-X-3001
90	800	600	7,10	CCA-X-3002
90	1000	600	7,96	CCA-X-3003
90	1200	600	9,71	CCA-X-3005
90	800	800	7,27	CCA-X-3006
90	1000	800	8,14	CCA-X-3007
90	1100	800	9,01	CCA-X-3008
90	1200	800	9,89	CCA-X-3009

Sliding Anti-Swing Stabilizer

Material 1.5 mm Steel Finish Electrostatic Powder Paint
Packaging One piece in a set


X-3026
X-3021
X-3022
X-3023
X-3027
X-3025

H (mm)	W (mm)	D (mm)	Weight kg	Part No
90	600	1000	9,47	CPA-X-3019
90	600	1070	10,50	CPA-X-3020
90	600	1200	11,64	CPA-X-3021
90	800	800	11,70	CPA-X-3022
90	800	1000	12,63	CPA-X-3023
90	800	1070	14,01	CPA-X-3024
90	800	1200	15,28	CPA-X-3025

Vertical Side Cable Organizer Type 1

Material 1.5 mm Steel Finish Zinc Plated
Packaging Two pieces in Bubble Nylon

Height (mm)	Part No
8,72	CCA-0-5011
9,48	CCA-0-5012
8,72	CCA-0-5013
9,48	CCA-0-5014
12,24	CCA-0-5015
15,00	CCA-0-5016



H (U)	H (mm)	D (mm)	W (mm)	Weight kg
26U	1246	8	260	6,4
32U	1510	8	260	7,8
36U	1686	8	260	8,7
39U	1820	8	260	9,5
42U	1950	8	260	10,2
47U	2170	8	260	11,6

* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

Plinth for inorax

Material 2 mm Steel Finish Electrostatic Powder Paint
 Packaging One piece in a box

H (mm)	D (mm)	W (mm)	Weight kg	Part No
--------	--------	--------	-----------	---------

90	600	600	5,95	CCA-X-3001
90	800	600	7,10	CCA-X-3002
90	1000	600	7,06	CCA-X-3003
90	1100	600	8,83	CCA-X-3004
90	1200	600	9,71	CCA-X-3005
90	800	800	7,27	CCA-X-3006
90	1000	800	8,14	CCA-X-3007
90	1100	800	9,01	CCA-X-3008



CCA-X-3005
 CCA-X-3006
 CCA-X-3007
 CCA-X-3008

Material 1,5 mm Steel Finish Electrostatic Powder Paint

H (mm)	Weight kg	Part No
1000	9,47	CPA-X-3019
1200	11,64	CPA-X-3021
11,70		CPA-X-3022
12,63		CPA-X-3023
14,01		CPA-X-3027
		CPA-X-3025




H (mm)	D (mm)	W (mm)	Weight kg
90	600		
90	600		
90	800	800	
90	800	1000	
90	800	1070	
90	800	1200	15,28

Vertical Side Cable Organizer Type1

Material 1,5 mm Steel Finish Zinc Plated

H (mm)	Weight kg	Part No
260	6,40	CCA-0-5011
360	7,80	CCA-0-5012
460	8,72	CCA-0-5013
560	9,48	CCA-0-5014
		CCA-0-5015
		CCA-0-5016



H (mm)	H (mm)	D (mm)	Weight kg
26U	1246	8	26
32U	1510	8	
36U	1686	8	
38U	1820	8	
42U	1950	8	10,22
47U	2170	8	11,60

* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

Vertical Side Cable Organizer Type2

Material 1,5 mm Steel, Plastic **Finish** Electrostatic Powder Paint

Packaging Two pieces in a box

H (U)	H (mm)	D (mm)	w (mm)	Weight kg	Part No
32U	1510	8	260	7,2	CCA-X-5018
36U	1686	8	260	8,0	CCA-X-5019
39U	1820	8	260	8,9	CCA-X-5020
42U	1950	8	260	9,0	CCA-X-5021
47U	2170	8	260	10,8	CCA-X-5022




Material 1,5 mm Steel **Finish** Electrostatic Powder Paint

Packaging Two pieces in a box **Module Capacity** 1600 1600

H (U)	D (mm)	w (mm)	Weight kg	Part No
42U	13	120	2,83	CCA-X-5023
47U	13	120	3,17	CCA-X-5024

Cable Management Module

H (mm)	D (mm)	w (mm)	Weight kg	Part No
150	70	90	0,42	CCA-X-5025



Front & Rear Organizer

Material 1,2 mm Steel, Plastic **Finish** Electrostatic Powder Paint

Packaging Two pieces in a box

H (U)	D (mm)	w (mm)	Weight kg	Part No
26U	92	100	7,6	CCA-X-5005
32U	92	100	8,2	CCA-X-5006
36U	92	100	9,4	CCA-X-5007
39U	92	100	10,2	CCA-X-5008
42U	92	100	11,0	CCA-X-5009
47U	92	100	12,4	CCA-X-5010

Only for 800 width cabinets




* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

Finger Duct Vertical Cable Manager

Please refer to box

Weight kg	Part No
5,96	CGA-Y-5026
7,75	CGA-X-5027




Material: ABS, Steel

Packaging: Tray

Weight (kg) and case


H (U)	H (mm)	D (mm)	W (mm)
42	1042	172	129
47	2170	172	129

Only for 800 width cabinets



* X - Color code: 7-RAI, 7-GRY (Grey), 9-RAI, 9-GRY (Black)


19" 1U Light



Material	1,2 mm Steel		
Finish	Electrostatic Powder Paint		
Power Consumption	11W		
Voltage	AC 220 - 240 Volts 50/60 Hz		
H (mm)	D (mm)	W (mm)	Weight
1U	53	483	0.5

kg	Part No
	CCA-X-7001

Led Light



Material	Anodized Aluminum Extrusion
Finish	Electrostatic Powder Paint
Power Consumption	11W
Voltage	AC 220 - 240 Volts 50/60 Hz

Length (mm)	D (mm)	W (mm)	Weight kg	Part No
400	15	24	0,25	CCA-0-7025
400	15	24	0,25	CCA-0-7026 **

** with power plug

Extrusion
Paint

Part No
CCA-0-7025
CCA-0-7026 **


Cable Guide Brush Strin



Material	Plastic, Brush	
Packaging	Two pieces	
PH	FH	W (mm)
18	30	350

Weight kg	Part No
0,15	CCA-9-5046

Adjustable Cable Entry Panel with Brush




H	D (mm)	W (mm)	Weight kg	Part No
12,5	128	350	0,78	CPA-X-5047
12,5	128	168	0,37	CPA-X-5048

CCA-X-5048 for Bottom of Seismic Cabinet 600 mm width

* X - Color code: 1: RAL 7035 (Grey) 2: RAL 9005 (Black)

C-Rail



Material	Anodized Aluminum Profile
Finish	Anodization
Packaging	One piece in a box

Length (mm)	H (mm)	W (mm)	Weight kg	Part No
600	20	34	0,30	CCA-0-5037
800	20	34	0,39	CCA-0-5038
1000	20	34	0,49	CCA-0-5039
1200	20	34	0,59	CCA-0-5040

Cable Clamp for C-Rail



Material	Steel
Finish	Zinc Plated
Packaging	Five pieces in a box

Cable Diameter mm	Weight kg	Part No
8 - 12	0,042	CCA-0-5041
11 - 18	0,048	CCA-0-5042
12 - 23	0,054	CCA-0-5043


Cable Clamp Rail



Material	1,5 mm Steel
Finish	Zinc Plated
Packaging	One piece in a box

Length (mm)	H (mm)	W (mm)	Weight kg	Part No
339	64	15	0,36	CCA-0-5033
539	64	15	0,48	CCA-0-5034
739	64	15	0,60	CCA-0-5035
939	64	15	0,72	CCA-0-5036

Chassis Rail



Material	2 mm Steel
Finish	Zinc Plated
Packaging	Two pieces in a box

Length (mm)	H (mm)	W (mm)	Weight kg	Part No
336	43,5	49,5	0,47	CCA-0-7002
536	43,5	49,5	0,63	CCA-0-7003
736	43,5	49,5	0,79	CCA-0-7004

Earthing Kit




Packaging


One set in a box

Material	Copper
Finish	PVC Jacket

Length (mm)	Cross Section (mm)	Weight (kg)	Part No
200	7.5	0.08	CCA-0-7017



Earthing Bar



Material	Copper
----------	--------



Length (mm)	Cross Section (mm)	Weight (kg)	Part No
490	3x15	278	CCA-0-7019

Baying Kit for inorax-ST Series



Material	2 mm Galvanized Steel
Packaging	Four pieces in a set

H (mm)	D (mm)	W (mm)	Weight (kg)	Part No
23	86	52	0,125	CSA-0-7001



Baying Kit for inorax-AL Series



Material	2 mm Galvanized Steel
Packaging	Four pieces in a set

Length (mm)	Width (mm)	Height (mm)	Weight (kg)	Part No
2	66	50	0,055	CPA-0-7001

Adjustable Raised Floor Module for Server & Network Cabinets



Material	2 mm Steel
Finish	Electrostatic Powder Paint
Packaging	One piece in a set/ Unassabled
Maximum Static Load:	2000 kg
Color	Ral 7035 or 9005

H (mm)	W (mm)	D (mm)	Weight kg	Part No
450-650	600	600-1200	25	CPA-X-7036
450-650	800	800-1200	30	CPA-X-7037

* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)

Heavy Duty Castor Set



Packaging

Two pieces with stopper and two pieces without stopper in a box

Material	Steel and Plastic ABS
Finish	Zinc Plated



150 kg / piece

0.77

CCA-0-7016

Castor Set



Packaging

Two pieces without stopper in a box

Material	Steel and Plastic ABS
Finish	Zinc Plated



0.77

CCA-0-7015


Maximum Static Load

Set Weight kg

Part No

75 kg / piece

Adjustable Feet



Material	Steel and Plastic ABS
Finish	Zinc Plated
Packaging	Four pieces with stopper in a box

Material	Steel and Plastic ABS
Finish	Zinc Plated
Packaging	Four pieces with stopper in a box

Set Weight kg	Part No
0.35	CCA-0-7014

Raised Floor H	600 kg / piece
----------------	----------------

Adjustable Feet with Plastic Cup and Stopper Set

Material	Steel
Finish	Zinc Plated
Packaging	20 pieces of M6x15 Screw, M6 Nut



Material	Steel
Finish	Zinc Plated
Packaging	20 pieces

Set Weight kg	Part No
0.35	CCA-0-7018

Quantity in a set	Set Weight kg
20	0.10

Integral Console + KVM



Integral console controls computers and servers inside cabinets or server room with one LCD monitor, keyboard and mouse. This prevents unnecessary costs and saves space.



Sliding rail mount reduces occupied space inside cabinets. 8 or 16

computers can be connected. Raised rail structure provides 2 level cascade connection and controllability up to 999 computers.

Technical Specifications

LCD Panel Size	Connection Type	8 Port	Part 16 Port
17"	USB	CCA-O-8001	CCA-O-8005
17"	PS/2	CCA-O-8002	CCA-O-8006
19"	USB	CCA-O-8003	CCA-O-8007
19"	PS/2	CCA-O-8004	CCA-O-8008

for raised floor



Material	3 mm Steel
Finish	Electrostatic Powder Paint
Packaging	Set Kit includes 4 or 6 pieces anchor sets

Raised Floor	Cabinet	Number of Anchors	Set Weight kg	Part No.
300	≤800	4	44,68	CPA-X-7010
300	> 800	6	67,02	CPA-X-7011
600	≤ 800	4	89,36	CPA-X-7012
600	> 800	6	134,04	CPA-X-7013

Stabilizer f



for Ceiling




Material	3 mm Steel
Finish	Zinc Plated
Packaging	Set Kit includes 4 pieces vertical profile and 2 pieces ceiling fixing profiles, bolts

Cabinet D (mm)	H (mm)	Part No.
300 (ETSI)	1000	CPA-0-7005
600	1000	CPA-0-7006
800	1000	CPA-0-7007
1000	1000	CPA-0-7008
1200	1000	CPA-0-7009

Stabilizer f




* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)



systems on or or cable cially a very or Data Centers with systems and inrow front coolers, where you don't need a raised floor. These channel system helps to guide , route and manage any copper or fiber cable directly through the top cover inside the rack cold aisle containment

Canovate® recommends to use special cable channel top of the cabinets, where you don't have any raised floor trav svstems in your Data Centers. This system is espe cost effective solution f

Gate Shield




Material	1,5 mm Steel
Finish	Electrostatic Powder Paint
Packaging	One piece in a box

W (mm)	D (mm)	H (mm)	Weight kg	Part No
500	75	125	1,50	CPA-X-6008

Data Cable



Gate Shield with Double Side Entry



Material	1,5 mm Steel
Finish	Electrostatic Powder Paint
Packaging	One piece in a box

W (mm)	D (mm)	H (mm)	Weight kg	Part No
500	75	125	1,31 kg	CPA-X-6009

Data Cable G



Shield with One Side Entry


Material	1,5 mm Steel
Finish	Electrostatic Powder Paint
Packaging	One piece in a box

Cabinet W (mm)	W (mm)	D (mm)	H (mm)	Weight kg	Part No
600	580	75	125	1,87	CPA-X-6010
800	735	75	125	2,75	CPA-X-6011

Data Cable S

* X - Color code - 7:RAL 7035 (Grey); 8:RAL 9005 (Black)

Power Cable Gate



Material	1,5 mm Steel
Finish	Electrostatic Powder Paint
Packaging	One piece in a box

W (mm)	D (mm)	H (mm)	Weight kg	Part No.
500	275	175	3,15 kg	CPA-X-6001

Shield with Double Side Entry

Data Cable



Material	1,5 mm Steel
Finish	Electrostatic Powder Paint
Packaging	One piece in a box

Cabinet W (mm)	W (mm)	D (mm)	H (mm)	Weight kg	Part No.
600	580	100	125	1,82	CPA-X-6006
800	735	100	125	2,31	CPA-X-6007



Power Cable Inlet

Material	1,5 mm Steel
Finish	Electrostatic Powder Paint
Packaging	One piece in a box

Cabinet W (mm)	W (mm)	D (mm)	H (mm)	Weight kg	Part No.
600	580	340	185	4,84	CPA-X-6002
800	735	340	185	6,15	CPA-X-6003




Reducer

Telescopic Rail Cable Organizer

Material	2 mm Steel
Finish	Electrostatic Powder Paint
Packaging	Two pieces in a box
Maximum Static Load	Up to 70 kg.

W (mm)	D (mm)	H (mm)	Weight kg	Part No.
75	548-1148	150	4	CCA-X-7035



* X : Color code = 7: RAL 7035 (Grey); 9: RAL 9005 (Black)